

PRICELIST 2012



Alex[®]
LIGHTINGS

The Right
Light

STREET LIGHT ANODIZED ALUMINIUM BODY

Alex[®]



36W. CFL STREET LIGHT FITTING

CODE: ASL36C
WATTS: 1 X 36W.
SIZE: (mm) LxBxH 320 X 110 X 116

PKG. 56 PCS.



45W. CFL STREET LIGHT FITTING

CODE: ASL45C
WATTS: 1 X 45W.
SIZE: (mm) LxBxH 347 X 154 X 143

PKG. 30 PCS.



85W. CFL STREET LIGHT FITTING

CODE: ASL85C
WATTS: 1 X 85W.
SIZE: (mm) LxBxH 460 X 191 X 143

PKG. 20 PCS.



36W. PLL STREET LIGHT FITTING

CODE: ASL36P
WATTS: 1 X 36W.
SIZE: (mm) LxBxH 520 X 106 X 120


PKG. 25 PCS.



2X36W. PLL STREET LIGHT FITTING

CODE: ASL236P
WATTS: 2 X 36W.
SIZE: (mm) LxBxH 564 X 170 X 130


PKG. 10 PCS.



1X14/24 PLL STREET LIGHT FITTING

CODE: ASL/T5/1
WATTS: 1X14 / 1X24
SIZE: (mm) LxBxH 713 X 106 X 120

PKG. 10 PCS.



2X14/24 PLL STREET LIGHT FITTING

CODE: ASL/T5/2
WATTS: 2X14 / 2X24
SIZE: (mm) LxBxH 713 X 106 X 120

PKG. 10 PCS.

SPECIFICATION :

- DEEP DRAWN ONE PIECE HOUSING.
- EPOXY POWDER COATED CRCA/ALUMINIUM SHEET STEEL.
- SAND BLASTED ELECTROCHEMICALLY BRIGHTENED AND ANODIZED ALUMINIUM SHEET STEEL.
- IMPORTED ANODIZED REFLECTOR.
- LAMP HOLDER PREWIRED.
- CLEAR ACRYLIC WITH ANTI-MOTH TREATED RUBBER GASKET FIXED TO THE HOUSING BY SS TOGGLES.
- ALL PIPES ARE SEAMLESS TO PREVENT WATER LEAKAGE.
- DEGREE OF PROTECTION : Ip53. NOMINAL DIMENSIONS IN MM, TOLERANCE +/-5

**STREET LIGHT
METAL BODY**



26W. CFL STREET LIGHT FITTING

CODE: MSL26
WATTS: 1 X 26W.
SIZE: 290 X 140 X 103

PKG. 74 PCS.



Plus

26W. CFL STREET LIGHT FITTING

CODE: MSL26P
WATTS: 1 X 26W.
SIZE: 311 X 104 X 103

PKG. 74 PCS.



36W. CFL STREET LIGHT FITTING

CODE: MSL36
WATTS: 1 X 36W.
SIZE: 320 X 110 X 116

PKG. 56 PCS.



Plus

36W. CFL STREET LIGHT FITTING

CODE: MSL36P
WATTS: 1 X 36W.
SIZE: 345 X 110 X 131

PKG. 56 PCS.



45W. CFL STREET LIGHT FITTING

CODE: MSL45
WATTS: 1 X 45W.
SIZE: 347 X 154 X 143

PKG. 36 PCS.



85W. CFL STREET LIGHT FITTING

CODE: MSL85
WATTS: 1 X 85W.
SIZE: 460 X 191 X 143

PKG. 20 PCS.



2 X 36W. CFL STREET LIGHT FITTING

CODE: MSL236
WATTS: 2 X 36W.
SIZE: 347 X 154 X 143

PKG. 36 PCS.



1X36W CFL BULK HEAD

CODE: BH36BK
WATTS: 1 X 36W.
SIZE: 250 X 107 X 107

PKG. 80 PCS.



1X36W CFL BULK HEAD

CODE: BH36WH
WATTS: 1 X 36W.
SIZE: 250 X 107 X 107

PKG. 80 PCS.

FLUORESCENT TUBE LIGHT FIXTURES & BALLAST




T5 28W. ELECTRONIC TUBE LIGHT

CODE	DESCRIPTION	WATTS	PKG.
AT5A	WITH TUBE & DIFFUSER	28	50
AT5B	WITH TUBE & W/O DIFFUSER	28	50




T5 28W. FLUORESCENT TUBE LIGHT

CODE	DESCRIPTION	WATTS	PKG.
T5A	WITH TUBE & DIFFUSER	28	30
T5B	WITH TUBE & W/O DIFFUSER	28	30
T5C	WITH DIFFUSER & W/O TUBE	28	30
T5D	ONLY FITTING	28	30



36W. SLIM MIROLTA FIXTURE


CODE:	SMFTL2	CODE:	SMFTL4
WATTS:	1 X 18/20W.	WATTS:	1 X 36/40W.
PKG.	40 PCS.	PKG.	30 PCS.



36W. OPEN BIG ELECTRONIC FIXTURE

CODE: OBEFTL
WATTS: 1 X 36/40W.

PKG. 30 PCS.



36W. OPEN SLIM ELECTRONIC FIXTURE

CODE: OESFTL
WATTS: 1 X 36/40W.

PKG. 30 PCS.



ELECTRONIC

ELECTRONIC

18/36W. BIG BALLAST

CODE: BEB
WATTS: 18/36-20/40

PKG. 10 PCS.

18/36W. SLIM BALLAST

CODE: SEB
WATTS: 18/36-20/40

PKG. 10 PCS.

Terms & conditions:

- This price list is subject to change without prior notice.
- All Disputes are subject to mumbai jurisdiction.
- Product specification are subject to change without prior notice.
- All Street light fittings are without tubes, bulbs & ballast.

ALEX INDUSTRIES
3, Neminath Ind. Estate No. 3,
Navghar Road, Vasai (E),
Dist.: Thane-401210. (INDIA)



11W./18W. CFL STREET LIGHT FITTING

CODE: USL11 / USL18
WATTS: 1 X 11W. / 1 X 18W

PKG. 60



36W. CFL STREET LIGHT

CODE: USL36
WATTS: 1 X 36W

PKG. 40



45W./65W./85W. CFL STREET LIGHT

CODE: USL45 / USL65 / USL85
WATTS: 1 X 45W / 65W / 85W

PKG. 15